	Application No.	Applicant(s)
Notice of Allowability	10/017,590	LEE, SEOK SU
	Examiner	Art Unit
	David Q. Nguyen	2617
· · · · · · · · · · · · · · · · · · ·	David Q. (Aguyeri	2017
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is s	this application. If not included inication will be mailed in due course. THIS
1. This communication is responsive to <u>08/13/07</u> .		
2. The allowed claim(s) is/are <u>1-22</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) ☐ All b) ☐ Some* c) ☒ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
	·	
* *		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 □ Notice of Inf	formal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ımmary (PTO-413),
	Paper No./I	Mail Date
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🔲 Examiner's	Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance
	9. 🗌 Other	<u>.</u>
	•	•
•		

Application/Control Number: 10/017,590 Page 2

Art Unit: 2617

## **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 1-22 are allowed.

2. The following is an examiner's statement of reasons for allowance:

Independent claim 1 has been amended to overcome the prior art. The closest prior art, Shah (US 6,029,065), Hansson (WO 98/38820), either singularly or in combination, fail to anticipate or render obvious that downloading information to a plurality of mobile stations all together through a paging channel based on a request from a base station controller, in combination with all other limitations in the claim(s) as argued by applicants in Remarks filed 08/13/07.

Claims 2-14 depend on claim 1. Therefore, they are allowable.

Independent claim 1 has been amended to overcome the prior art. The closest prior art, Shah (US 6,029,065), Hansson (WO 98/38820) and, either singularly or in combination, fail to anticipate or render obvious that communicating data messages from a common terminal to distributed terminals all together and the common terminal communicates each of the data messages to all of the distributed terminals all together trough a paging channel, in combination with all other limitations in the claim(s) as argued by applicants in Remarks filed 08/13/07.

Claims 16-20 depend on claim 15. Therefore, they are allowable.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2617

## Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

O'Riordain (US 6,434,364) teaches wireless communication system that supports mobile test software agents.

Hansson (US 6,023,620) teaches method for downloading control software to a cellular telephone.

Boman (US 5,654,901) teaches loading software into test equipment.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Q. Nguyen whose telephone number is 571-272-7844.

The examiner can normally be reached on 8:30AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JOSEPH H. FEILD can be reached on (571)272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/017,590

Art Unit: 2617

David Nguyen

Examiner Art Unit 2617 Page 4